# FIREPLACES





#### **ALEXANDRIA**

514 22nd Ave W Alexandria, MN 56308 320.762.0742

#### **NISSWA**

4965 Commons Dr Nisswa, MN 56468

218.967.3700

#### **WILLMAR**

164 25th St SE Willmar, MN 56201

320.235.0036



## **ABOUT US**

Nordic offers the largest fireplace, masonry and landscape showroom in all of central and west central Minnesota. The showrooms are designed to help customers visualize all the possibilities available to them before and during their building and remodeling projects including indoor and outdoor fireplaces, pavers and retaining walls, natural stone walkways and so much more. If you're looking for inspiration, a visit to any of our showrooms is a must.

Along with beautiful displays, you will find friendly, experienced staff that are familiar with the latest trends in the industry. They share their knowledge to help customers choose the perfect fireplace, brick or stone for their home. They also work closely with local contractors, and help partner customers with the best team for their project.

Alex Brick & Stone was established in 1998 by Wayne Jenzen, a second generation mason contractor, and his wife, Nancy, in Alexandria MN. In 2008, they opened their second location in Willmar, MN. After 17 years of working alongside his father, Wayne's son, Neil Jenzen, took over in 2014. Joel Peterson (Lake Country Fireplace & Exteriors) joined in ownership in 2015, bringing even more masonry & landscape experience, along with extensive knowledge in geosynthetics and erosion control. In the spring of 2022, Nordic opened their 3rd location in Nisswa, MN, and in 2023, the three brands united as one to become Nordic.

Today the Alexandria, Willmar and Nisswa locations employ over 40 team members, work with many local businesses and contractors and have built a reputation of knowledge, skill and exceptional service to every single customer who walks through their doors.

> **3 LOCATIONS** TO SERVE YOU



#### **ALEXANDRIA**

514 22nd Ave W Alexandria, MN 56308 320.762.0742

#### **NISSWA**

4965 Commons Dr Nisswa, MN 56468

#### 218.967.3700

## **WILLMAR**

164 25th St SE Willmar, MN 56201

320.235.0036











# **BAYPORT SERIES**

**Bayport 36** 

**Viewing Area:** 

29-7/16"W x 23-7/8"H

**BTU:** 26,500 - 14,000

Heating Capacity:

**Burner:** Single Burner

**Bayport 41** 

**Viewing Area:** 

34-7/16"W x 26-3/8"H

BTU: 30,000 - 15,000

Heating Capacity: 🦍 🦍

**Burner:** Single Burner

















Copper Full Rectangle

Stainless Full Rectangle

Prairie

Arched Mission

Mission

















Enamel





Traditional

Birch

Beach Accent

Black Glass

**Traditional Brick** 







# **NORDIK SERIES**

#### Nordik 36DV

**Viewing Area:** 

32-5/8"W x 26-7/8"H Heating Capacity: 🙌 🦍

BTU: 35,000 - 18,000

**Burner:** EVO elevated burners

**Heat Management:** Komfort Zone Kit

#### Nordik 41DV

**Viewing Area:** 

37-5/8"W x 29-3/8"H

Heating Capacity: 🙀 🦣 🧑

BTU: 40,000 - 21,000

**Burner:** EVO elevated burners

**Heat Management:** Komfort Zone Kit

## Nordik 48DV

**Viewing Area:** 

44-1/2"W x 35-3/8" H

Heating Capacity: 🧄 🦣

BTU: 48,000 - 32,000

**Burner:** EVO elevated burners

**Heat Management:** Komfort Zone Kit





Rectangle





Arched

Mission



Rectangle

Mission





Vented Rectangle

Vented Prairie



















Black Glass Herringbone Black Brick Ledgestone

Chicago Brick

Birch

**Traditional** 







# **BELLINGHAM SERIES**

## **Bellingham 38**

**Viewing Area:** 

38-7/16"W x 24-7/8"H BTU: 43,500 - 17,000

Heating Capacity:

**Burner: Split Flow for Improved** 

Heat Control (optional) **Heat Management Options:** 

- · Komfort Zone Kit
- Vented Cavity
- Heat Transfer Kits

## **Bellingham 44**

**Viewing Area:** 

44-7/16"W x 24-7/8"H BTU: 49,500 - 18,500

Heating Capacity: 🦍 🦍

**Burner: Split Flow for Improved** 

## **Heat Management Options:**

Heat Control (optional)

- · Komfort Zone Kit
- Vented Cavity
- Heat Transfer Kits

## **Bellingham 52**

**Viewing Area:** 

52-7/16"W x 30-7/8"H BTU: 59,500 - 18,500

Heating Capacity: 🦍 🦍

**Burner: Split Flow for Improved** 

Heat Control (optional)

## **Heat Management Options:**

- · Komfort Zone Kit
- Vented Cavity
- · Heat Transfer Kits





















Black Glass

Chicago Brick

Herringbone Ledgestone

Available in 38" & 44"

**Traditional** Birch



# **CALLAWAY SERIES**

## Callaway 40

Viewing Area: 40"W x 13"H BTU: 31,500 - 16,500 Heating Capacity: (\*\*) (\*\*) Heat Management Options:

- Komfort Zone Kit
- Vented Cavity
- · Heat Transfer Kits

## Callaway 50

Viewing Area: 49-7/8"W x 13-3/8"H BTU: 35,500 - 18,500 Heating Capacity:

Heat Management
Options:

- Komfort Zone Kit
- Vented Cavity
- Heat Transfer Kits

## Callaway 50 See-Thru

Viewing Area: 49-7/8"W x 13-3/8"H BTU: 35,500 - 18,500

Heating Capacity: 🙌 🦘 Heat Management Options:

- Komfort Zone Kit
- Vented Cavity
- Heat Transfer Kits

## Callaway 72

Viewing Area:

72-7/8"W x 15-3/4"H **BTU:** 49,500 - 25,000

Heating Capacity: ( ) ( ) ( ) ( ) ( ) Heat Management Options:

- · Komfort Zone Kit
- Vented Cavity
- Heat Transfer Kits





Rectangle One Piece



Rectangle Four Pieces



Mission



Gallery





Traditional Logs



Birch Logs



**Rock Accent** 



Beach Accent





Black Glass



Chicago Brick



Ledgestone





## **SP 41**

## **Viewing Area:**

34-3/8"W x 24-1/8"H **BTU:** 28,000 - 14,000 **Heating Capacity:** 

## **SP34**

## **Viewing Area:**

28"W x 20-1/2"H **BTU:** 20,500 - 14,000 Heating Capacity:









Std. Rectangle Prairie Front Arched Prairie Screen Front (shown above) Front





**OSSEO SERIES (ELECTRIC)** 



## Osseo Insert/ **Built In Osseo Linear**

## **Viewing Area:**

Osseo 29: 15"W x 27-1/6"H Osseo 34: 19-1/4"W x 31-1/2"H Osseo 45 L: 16-3/8"W x 45"H Osseo 60 L: 16-3/8"W x 60"H

**BTU:** 5,000

120V Plug-in or direct wire option, realistic, full "Kozy" flame and ember bed

Heating Capacity: 🦴







#### Chaska 25

Viewing Area: 22-1/8"W x 12-5/16"H BTU: 25,500 - 13,000 **Heating Capacity:** 

#### Chaska 29

Viewing Area: 26-1/8"W x 12-7/8"H BTU: 30,000 - 16,000 Heating Capacity:

#### Chaska 34

Viewing Area: 30-1/8"W x 17-13/16"H BTU: 34,000 - 18,500 Heating Capacity:

#### Chaska 335S

Viewing Area: 29-5/8"W x 15-13/16"H BTU: 36,500 - 22,000 Heating Capacity:

# **NORDIK INSERT COLLECTION**



Nordik 29i Viewing Area: 27-11/16"W x 17-15/16"H BTU: 32,000 - 17,000 Heating Capacity:

See a Nordic sales associate for specific details.







## Lakefield XL

Viewing Area: 22"W x 16"H BTU: 40,000 - 22,000 Heating Capacity: 🧄 🤚 **Screen Front Options:** 







Prairie Design

Arched Prairie Design

## **Refractory Options:**





Traditional Black Glass Brick

# FREESTANDING SERIES



## **Oakport**

Viewing Area: 16-9/16"W x 11-1/8"H

BTU: 24,000 - 15,500 Heating Capacity: **Screen Front Options:** 







Rectangle Screen

Prairie Design

**Arched Prairie** Design

#### **Refractory Options:**



Black Glass





# TRADITIONAL PREMIUM COLLECTION



Page 13 Page 15

# TRADITIONAL PROBUILDER COLLECTION



Page 16





# LINEAR PREMIUM COLLECTION



Page 17

# LINEAR PROBUILDER COLLECTION



Page 17



# **564 MEDIUM COLLECTION**

### 564 TRV 25K Deluxe

Viewing Area: 29-3/8"W x 16-3/8"H

BTU: 25,000 - 6,500
Heating Capacity: •
Burner: Ember-Fyre® II
Heat Management:
CoolSmart TV Wall Kit

Power Vent Compatible

See page 14 for more options

#### 564 TV 35K Deluxe

Viewing Area: 29-3/8"W x 16-3/8"H

BTU: 35,000 - 7,500

Heating Capacity: (h) (h)

Burner: Ember-Fyre® II

Heat Management:

CoolSmart TV Wall Kit.

Power Heat Duct Kit

Power Vent Compatible

• See page 14 for more options

#### 564 TRV 25K Clean Face Deluxe

Viewing Area: 29-3/8"W x 16-3/8"H

BTU: 25,000 - 6,500

Heating Capacity: 
Burner: Ember-Fyre® II

Heat Management:

CoolSmart TV Wall Kit

Power Vent Compatible

• See page 14 for more options

#### 564 TV 35K Clean Face Deluxe

Viewing Area: 29-3/8"W x 16-3/8"H

BTU: 35,000 - 7,500
Heating Capacity: ( )
Burner: Ember-Fyre® II
Heat Management:

CoolSmart TV Wall Kit,

Power Heat Duct Kit

Power Vent Compatible

See page 14 for more options







# 864 LARGE COLLECTION

#### 864 TRV 31K Deluxe

Viewing Area: 34-1/4"W x 22-1/4"H

BTU: 31,000 - 10,000

Heating Capacity: (\*\*) (\*\*)

Burner: Ember-Fyre® II

Heat Management:

CoolSmart TV Wall Kit

Power Heat Duct Kit

Power Vent Compatible

· See page 14 for more options

#### 864 TV 40K Deluxe

Viewing Area: 34-1/4"W x 22-1/4"H

BTU: 40,000 - 11,000

Heating Capacity: ( ) ( )

Burner: Ember-Fyre® II

**Heat Management:**CoolSmart TV Wall Kit
Power Heat Duct Kit

Power Vent Compatible

· See page 14 for more options

#### 864 TRV 31K Clean Face

Viewing Area: 34-1/4"W x 22-1/4"H

BTU: 31,000 - 10,000

Heating Capacity: (\*\*) (\*\*)

Burner: Ember-Fyre® II

Heat Management:

CoolSmart TV Wall Kit

Power Heat Duct Kit

Power Vent Compatible

· See page 14 for more options

#### 864 TV 40K Clean Face Deluxe

**Viewing Area:** 34-1/4"W x 22-1/4"H

Power Heat Duct Kit

Power Vent Compatible

• See page 14 for more options









Adjustable Beveled Tile Trim



2" Trim



Louvers



Basic Grill



Mission Grill



Legacy



**Black Glass** 



Handmade Brick



Metropolitan



Timberline



Ironworks Double Door



Rectangle Double Door



Herringbone Brick



Stacked Tan Brick



Classic Arch



French Country



Artisan Charcoal



MetalSmith





Old World Stucco



Birch Log Set



Traditional



Ledgestone





# 4237 XL

## **4237 Ember-Glo™ Deluxe**

Viewing Area: 39-7/8"W x 34-7/8"H

**BTU:** 60,000 - 32,089

Heating Capacity: 🧄 🦍

**Burner:** Ember Glo® **Heat Management:** 

Cool Smart TV Kit, Power Heat Duct Kit,

Power Vent Compatible



























Brick



Stacked Tan Brick



Black Glass





# TRADITIONAL PROBUILDER COLLECTION

#### **ProBuilder 24 Clean Face Deluxe**

Viewing Area: 18"W x 26"H BTU: 18,000 - 9,500 Heating Capacity: ♠ Burner: Dancing-Fyre™

Heat Management: Coolsmart TV Kit

#### **ProBuilder 42 Clean Face Deluxe**

Viewing Area: 36"W x 31"H BTU: 35,000 - 7,500 Heating Capacity: ♠ ♠ Burner: Dancing-Fyre™

Heat Management: Coolsmart TV Kit,

Power Vent Compatible

## **ProBuilder 36 Clean Face Deluxe**

Viewing Area: 30-1/8"W x 26-1/8"H

BTU: 24,000 - 5,000 Heating Capacity: ♠ Burner: Dancing-Fyre™

Heat Management: Coolsmart TV Kit,

Power Vent Compatible

# ProBuilder 36 Clean Face Deluxe See-Thru

Viewing Area: 30-1/8"W x 26-1/8"H

BTU: 37,500 - 10,000 Heating Capacity: ♠ ♠ ♠ Burner: Dancing-Fyre™

Heat Management: Coolsmart TV Kit,

Power Vent Compatible















Brick

Black Glass

# **LINEAR HIGH GAS OUTPUT COLLECTION**





**Viewing Area:** 34"W x 13"H **BTU:** 33,000 - 18,331 Heating Capacity: 🦣 🦣 Burner: Diamond-Fyre™ **Heat Management:** 

CoolSmart TV Wall Kit, Heat Duct Kit

#### 4415

Viewing Area: 42"W x 13"H BTU: 42,000 - 21,672 Heating Capacity: Burner: Diamond-Fyre™ **Heat Management:** CoolSmart TV Wall Kit, Heat Duct Kit

#### 4415 See-Thru

Viewing Area: 42"W x 13"H **BTU:** 42,000 - 21,672 Heating Capacity: 🥎 🦍 Burner: Diamond-Fyre™ **Heat Management:** CoolSmart TV Wall Kit, Heat Duct Kit

#### 6015

Ledgestone Viewing Area: 58"W x 13"H **BTU:** 56,000 - 30,273 Heating Capacity: 🦣 🦣 🦣 Burner: Diamond-Fyre™ **Heat Management:** 

CoolSmart TV Wall Kit, Heat Duct Kit













Face





Glass



Black





Stones





Trim





Logs Logs Logs LINEAR PROBUILDER COLLECTION





















**ProBuilder 42 Linear** 

**Viewing Area:** 40-3/8"W x 13-5/8"H BTU: 25,000 - 13,000 Heating Capacity: **Heat Management:** CoolSmart TV Wall Kit

#### **ProBuilder 54 Linear**

**Viewing Area:** 52-3/4"W x 13-3/4"H BTU: 33,000 - 17,000 Heating Capacity: 🦣 🦣 **Heat Management:** CoolSmart TV Wall Kit

## **ProBuilder 72 Linear**

**Viewing Area:** 70-3/4"W x 13-3/4"H BTU: 45,000 - 17,000 Heating Capacity: 🥎 🦣 🦣 **Heat Management:** CoolSmart TV Wall Kit

Twigs & Stones

Stones

Tumbled Traditional Driftwood Logs

Logs

Birch Logs



Black Ledgestone



# GAS INSERT COLLECTION

## 32 DVS Deluxe Ember-Glo™

**Viewing Area:** 24-1/4"W x 12-3/4"H

BTU: 31,000 - 10,300

Heating Capacity: (•) (•)

Log Options: Driftwood,

Classic Oak and Birch

**Light Kit Options:** Overhead Accent

and Ember Glo Standard

## 34 DVL Deluxe Ember-Glo™

**Viewing Area:** 27"W x 16-1/8"H

BTU: 40,000 - 9,600
Heating Capacity: •• •• ••
Log Options: Driftwood,
Classic Oak and Birch

**Light Kit Options:** Overhead Accent

and Ember Glo Standard

## 430 Deluxe Ember-Glo™

Viewing Area: 23"W x 16"H

BTU: 31,000 - 7,500

Heating Capacity: 

Log Options: Driftwood,

Classic Oak and Birch

**Light Kit Options:** Overhead Accent

and Ember Glo Standard

## 616 Deluxe Ember-Glo™

**Viewing Area:** 27-1/2"W x 19-3/4"H

BTU: 39,000 - 9,000

Heating Capacity: (\*\*) (\*\*) (\*\*)

Log Options: Driftwood,

Classic Oak and Birch

**Light Kit Options:** Overhead Accent

and Ember Glo Standard





## Greenfield™

**Viewing Area:** 

Front: 22-1/2 x 13-5/8
Sides: 8-7/8 x 12-3/4

BTU: 40,000 - 11,900

Heating Capacity: ♠ ♠

Burner: Ember-Fyre™

Log Options: Classic Standard

**Light Kit Options:** Ember Bed Standard **Color Options:** New Iron Painted



Black Enamel Fireback



## Berkshire™

Viewing Area:

Front: 18" x 12"

Sides: 7-1/2" x 10-3/4" **BTU:** 31,000 - 10,700 **Heating Capacity:** ♠ ♠ **Burner:** Ember-Fyre<sup>™</sup>

**Log Options:** Classic Standard

**Light Kit Options:** Ember Bed Standard **Color Options:** New Iron Painted



Straight Brick



Herringbone Brick



## Northfield™

**Viewing Area:** 

Front: 15-3/4" x 14-5/16" Sides: 7-11/16" x 13-7/16" BTU: 22,000 - 6,700 Heating Capacity: ♠ Burner: Ember-Fyre™

Log Options: Classic Standard

**Light Kit Options:** Ember Bed Standard **Color Options:** New Iron Painted



Cast Iron Fireback





# Meridian 36 Platinum

Viewing Area:

34-1/4"W x 24-3/4"H **BTU:** 40,000 - 22,000

Heating Capacity: (h) (h) Heat Management: Heat Out,

Heat Zone, Passive Heat

## Meridian 42 Platinum

Viewing Area:

41-1/4"W x 26-11/16"H

BTU: 45,000 - 21,000

Heating Capacity: (\*\*) (\*\*)

Heat Management: Heat Out,

Heat Zone, Passive Heat

## **MERIDIAN MODERN SERIES**



#### **Meridian 36 Modern**

**Viewing Area:** 

34-1/4"W x 24-3/4"H BTU: 34,000 - 17,000

Heating Capacity: Heat Out, Heat Zone, Passive Heat

Tieat Zone, i assive rieat

## Meridian 42 Modern

Viewing Area:

41-1/4"W x 26-11/16"H

**BTU:** 36,000 - 18,000 **Heating Capacity:** 

Heat Management: Heat Out,

Heat Zone, Passive Heat



# **MARQUIS SERIES**





## Marquis II 36

Viewing Area: 35-7/8"W x 31-11/16"H

**BTU:** 44,000 - 22,000 **Heating Capacity:** 

Heat Management: Heat Out, Heat Zone



## Marquis II 42

Viewing Area: 41-7/8"W x 39-1/16"H

**BTU:** 54,500 - 27,000 **Heating Capacity:** 

Heat Management: Heat Out, Heat Zone



## Marquis II 36 See-Thru

**Viewing Area:** 39-7/16"W x 35-1/8"H

BTU: 57,500 - 28,000 Heating Capacity: •••••••

Heat Management: Heat Out, Heat Zone,

Outdoor Window Kit Available





#### Jade 32

Viewing Area:

27-1/4"W x 15-3/4"H

**BTU: 19.000** 

Heating Capacity:

Heat Management: Heat Out, Heat

Zone, Passive Heat

Jade 42

**Viewing Area:** 39"W x 15-1/4"H

BTU: 25,250

Heating Capacity:

Heat Management: Heat Out, Heat

Zone, Passive Heat

# **ECHELON SERIES**



#### Echelon II 36

**Viewing Area:** 

35-1/2"W x 12-1/2"H BTU: 30,000 - 27,000

Heating Capacity: 🦣 🦣

Heat Management: Heat Out, Heat

Zone. Passive Heat

#### Echelon II 48

**Viewing Area:** 

47-1/2"W x 12-1/2"H BTU: 40,000 - 34,000

Heating Capacity: 🧄 🦍

Heat Management: Heat Out, Heat

Zone, Passive Heat

#### Echelon II 60

Viewing Area:

35-1/2"W x 12-1/2"H

**BTU:** 50,000 - 37,500

Heating Capacity: 👆 🦍

Heat Management: Heat Out, Heat

Zone, Passive Heat

#### Echelon II 72

**Viewing Area:** 

71-1/2"W x 12-1/2"H

**BTU:** 58,000 - 45,000

Heating Capacity: •• •• •• Heat Management: Heat Out, Heat

Zone, Passive Heat





## **RUBY SERIES**



See a Nordic sales associate for specific details.

## **Ruby Insert 25**

Viewing Area: 22-1/2"W x 12-7/16"H BTU: 27.000 Heating Capacity:

## Ruby Insert 30

**Viewing Area:** 27-1/2"W x 15-15/16"H BTU: 32,700 Heating Capacity: 🦣 🦍

## **Ruby Insert 35**

Viewing Area: 32-1/2"W x 19-3/8"H BTU: 35,000 Heating Capacity: 💪 🍆 🦾







Cottage Red

Reflective Traditional Black Glass Tavern Brown

## **TRILLIANT SERIES**



#### **Trilliant Insert 25**

**Viewing Area:** 22-1/2"W x 12-7/16"H BTU: 27,000 Heating Capacity:

## **Trilliant Insert 30**

Viewing Area: 27-1/2"W x 15-15/16"H **BTU:** 32,700 Heating Capacity: 🦣 🦣

## **Trilliant Insert 35**

**Viewing Area:** 32-1/2"W x 19-3/8"H **BTU:** 35,000 Heating Capacity: 👆 🍆





Canyon Brown

Reflective



# TRADITIONAL COLLECTION

#### **TC 36**

Viewing Area: 983 sq. in. BTU: 47,000 - 35,000 Notes: Clean Face, Flush Hearth, Design-A-Fire, Electronic ignition, Battery back-up, Smart Home Control System compatible

#### TC 36 Arch

Viewing Area: 941 sq. in. BTU: 47,000 - 35,000 Notes: Clean Face, Flush Hearth, Design-A-Fire, Electronic ignition, Battery back-up, Smart Home Control System compatible

#### TC 42

Viewing Area: 1,397 sq. in. BTU: 61,000 - 46,200 Notes: Clean Face, Flush Hearth, Design-A-Fire, Electronic ignition, Battery back-up, Smart Home Control System compatible, Heat Transfer Cool Wall System

## **TC 54**

Viewing Area: 2,034 sq. in. BTU: 84,000 - 59,000 Notes: Clean Face, Flush Hearth, Design-A-Fire, Electronic ignition, Battery back-up, Smart Home Control System compatible





# LINEAR COLLECTION

## **WS38**

Viewing Area: 478 sq. in. BTU: 47,000 - 35,000 Features: Clean Face,

Disappearing Glass, LED Interior

Lighting, Design-A-Fire

## **WS54**

Viewing Area: 748 sq. in.


BTU: 54,900 - 46,200

Features: Clean Wide Face,
Disappearing Glass, LED Interior
Lighting, Design-A-Fire

## WS54 See-Thru

Viewing Area: 748 sq. in.
BTU: 61,000 - 41,500
Features: Clean Wide Face,
Disappearing Glass, LED
Interior Lighting, Design-AFire, Up-Lighting Available
with Diamond Burner Option







Birchwood

Chalet See-Thru









## **DAVINCI COLLECTION**

**Custom Sizing** 

Glass Height Options: 12", 20", 30", 36" or 58"
Other Options: Single-sided, See-Thru,
Right or Left Corner, Pier, Bay and "L"
Configuration. Window Kits Available, Safe
Touch Glass, Optional LED Colored Light
Kits, Colored Crushed Glass,
Bon-Fyre, Birch Logs, Outdoor Installation
Available.

All models are factory-built, factory-tested, and UL certified.

## **8 Configuration Options**





















## MAESTRO™ COLLECTION

**Custom Sizing** 

Vertical Models: 36"W x 48"H or 36"W x 58"H Square Models: 36"W x 36"H or 48"W x 48"H Other Options: Single Sided, See-Thru, Indoor/Outdoor See-Thru, with Outdoor Window Kit, Safe Touch Glass, Optional LED Colored Light Kits, Colored Crushed Glass, Bon-Fyre or Crushed Glass.

All models are factory-built, factory-tested, and UL certified.



# TIMBER FIRE™ COLLECTION

Single-Sided Configuration Viewing Area: 48"W x 30"H, 72"W x 30"H BTU: 173,000 - 115,000



# TIMBER FIRE™ COLLECTION

See-Thru Configuration

**Viewing Area:** 48"W x 30"H, 72"W x 30"H

BTU: 180,000 - 120,000





# FIRENZE ™ COLLECTION



Single-Sided

**Viewing Area:** 60"W x 20"H **BTU:** 50,000 - 25,000

Heating Capacity: Up to 2,500 sq. ft.



**Left Corner** 

**Viewing Area:** 66"W x 20"H **BTU:** 50,000 - 25,000

Heating Capacity: Up to 2,500 sq. ft.



**Right Corner** 

**Viewing Area:** 66"W x 20"H **BTU:** 50,000 - 25,000

Heating Capacity: Up to 2,500 sq. ft.



Bay

**Viewing Area:** 72"W x 20"H **BTU:** 50,000 - 25,000

Heating Capacity: Up to 2,500 sq. ft.





## LINEAR SERIES

### **U50 Linear**

Viewing Area: 50"W x 20"H

BTU: 38,000

**Liner Options:** Painted Steel, Fluted and Infinity Glass

#### **U50 Tall Linear**

Viewing Area: 50"W x 26"H

**BTU:** 38,000

Liner Options: Painted Steel, Fluted and Infinity Glass



## **LINEAR SERIES**

#### **U70 Linear**

Viewing Area: 70"W x 20"H

**BTU:** 52,500

Liner Options: Painted Steel, Fluted and Infinity Glass

#### **U70 Tall Linear**

Viewing Area: 70"W x 24"H

**BTU:** 52,500

**Liner Options:** Painted Steel, Fluted and Infinity Glass



## **BAY SERIES**

## U30 Bay

Viewing Area: 30"W x 20"H

BTU: 22,500

**Liner Options:** Painted Steel, Fluted and Infinity Glass

#### U50 Bay

Viewing Area: 50"W x 20"H

**BTU:** 38,000

Liner Options: Painted Steel, Fluted and Infinity Glass

#### **U70 Bay**

Viewing Area: 70"W x 20"H

**BTU:** 52,500

 $\textbf{Liner Options:} \ \mathsf{Painted Steel}, \ \mathsf{Fluted and Infinity Glass}$ 





# TRADITIONAL SERIES

#### **U33**

**Viewing Area:** 35"W x 34"H **BTU:** 40,000

**Burner:** 3D Stainless Steel

**Liner Options:** 

Fluted, Black Enameled, Black Glass and Rustic Brown Brick

#### U33 Tall

Viewing Area: 31"W x 60"H

**BTU:** 59,000

**Burner: 3D Stainless Steel** 

**Liner Options:** 

Fluted, Black Enameled, Black Glass and Rustic Brown Brick

#### **U37**

Viewing Area: 35"W x 30"H

**BTU:** 47,000

**Burner: 3D Stainless Steel** 

**Liner Options:** 

Black Enameled, Painted Steel, Black Glass, Rustic Brown Brick, Dark Umber Herringbone, Sandstone Herringbone and Ledgestone

#### **U44 Outdoor**

**Viewing Area:** 

41"W x 36"H **BTU:** 71,000

**Burner: 3D Stainless Steel** 

**Liner Options:** 

Black Enameled, Rustic Brown Brick, Dark Umber Herringbone, Sandstone Herringbone, Stainless Steel and Ledgestone

#### **U44**

Viewing Area:

42"W x 36"H **BTU:** 63,000

**Burner: 3D Stainless Steel** 

**Liner Options:** 

Black Enameled, Painted Steel, Black Glass, Rustic Brown Brick, Dark Umber Herringbone, Sandstone Herringbone and Ledgestone

#### **U55**

**Viewing Area:** 

52"W x 42"H **BTU:** 75,000

**Burner: 3D Stainless Steel** 

**Liner Options:** 

Black Enameled, Painted Steel, Black Glass, Rustic Brown Brick, Dark Umber Herringbone and Sandstone Herringbone





Rumford 1500

Viewing Area: 42-3/4"W x 42"H Door and Screen: Guillotine System



**Rumford 1000** 

Viewing Area: 34"W x 37"H

**Door and Screen:** Guillotine System



Linear 50

Viewing Area: 50-7/16"W x 19-7/8"H Door and Screen: Guillotine System



Uptown 600

**Viewing Area:** 36-7/8"W x 26-1/8"H **Door and Screen:** Guillotine System





## **GRANVIEW ZERO CLEARANCE**

Firebox Capacity: 4.2 cu. ft.

Log Length: 24" **BTU:** 54,000

Design Options: Arched or Rectangular

**Door Options:** 





















## **GRANVIEW MASONRY**

Firebox Capacity: 4.2 cu. ft.

Log Length: 24" **BTU:** 54,000

Masonry design stops heat, keeping the home warm long after fire goes out.

**Door Options:** 













## **CUSTOM SEALED DOORS**

#### **Grand Seal**

- Most Durable
- Optional Firescreen
- · Fully Sealed
- · Closed door use on high heat output units
- Supreme

- Heavy Duty Use
- · Fully Sealed
- Optional Firescreen
- · Closed door use with radiant and regular heat units

#### **FullView**

- Standard Duty
- · Optional Firescreen
- · Glass panel maximizes view





## 42 Apex NexGen-Hybrid™

Viewing Area: 25-5/8"W x 12-7/8"H

Log Length: 24" Face Options:











## **WFP-100**

Firebox Capacity: 4.28 cu. ft.

Log Length: 25"

**Available Sizes:** WFP 75

Options: Brown Enamel, Matte Black





## Albany/Z42

Firebox Capacity: 3.0 cu. ft.

Log Length: 22"

Options: Interior Heat Transfer Kit,

Single or Double Door

**Face Options:** 











Arched Keystone

Arched Mission

Arched Harlequin

Z42 Single Door

Z42 Double Door





## **Focus See-Thru**

Viewing Area: 24-1/4" W x 13-1/4"H Max. Log Size: 20" Finish: Metallic Black



## **Opel 2 Plus**

Viewing Area: 10-5/16" x 15-13/16" Max. Log Size: 18" Finish: Metallic Black



## **Pearl 2600**

**Viewing Area:** 19-1/2" x 11-3/4"

Max. Log Size: 18" in front, 16" in back

**Finish:** Metallic Black **Options:** Internal Blower,

Heat Dump Blower, Gravity Vents





## **Standard**

Available Sizes: 36", 42", 46" Indoor and Outdoor Applications Custom Configurations Available Mechanical Draft System Compatible UL Listed

Fire-Lite Compatible

Fuel Type: Wood, Natural Gas, LP

Chimney Type: DM54, Eco-Steel Insulated



## **Magnum**

Available Sizes: 28", 36", 42", 48", 60", 72" Indoor and Outdoor Applications Arch Lintel Available (48") Custom Configurations Available Mechanical Draft System Compatible UL Listed

Fire-Lite Compatible

Fuel Type: Wood, Natural Gas, LP

Chimney Type: DM54, Eco-Steel Insulated



## Magnum+

Available Sizes: 84", 96", 108", 120" Indoor and Outdoor Applications Custom Configurations Available Mechanical Draft System Compatible UL Listed

Fuel Type: Wood, Natural Gas, LP

Chimney Type: DM54, Eco-Steel Insulated





## **Bvetto**

Available Sizes: 36", 46" Applications: Indoor Fuel Type: Natural Gas, LP Chimney Type: B-Vent

Finish: Custom Options Available



## **Maximus Linear**

**Available Sizes:** 48", 72", 96", 120"

Applications: Indoor
Fuel Type: Natural Gas, LP
Chimney Type: B-Vent (12")
Combustible Floor Finish

**Finish:** Custom Options Available **Ignition System:** Electronic **Exhaust:** Mechanical Exhaust



## **Maximus Direct Vent**

Available Sizes: 46", 48"
Applications: Indoor
Fuel Type: Natural Gas, LP
Chimney Type: Direct Vent
Combustible Floor Finish

Finish: Custom Options Available



# **Firebrick**Color Options:







Cream








Soapstone

Red

Gray

# **Chimney Shrouds**

American Chimney Shroud



## **Chimney Pots**

European Chimney Pots







See a Nordic sales associate for specific details.





# **Rockport Hybrid-Fyre** $^{\text{TM}}$

**Viewing Area:** 16-3/4" x 10-3/8"

Firebox Size: 2.15 cu. ft. Max. Log Size: 20 "

**Other Options:** Fan Kit, GreenSmart<sup>™</sup> Ignition



## **Evergreen NexGen-Hybrid™ Steel**

Viewing Area: 17" x 10-7/8" Firebox Size: 2.2 cu. ft. Max. Log Size: 20.5"

Other Options: GreenSmart™ Ignition,

Pedestal Base





## Answer NexGen-Hybrid™

Viewing Area: 15-3/8" x 8-7/8" Firebox Size: 1.5 cu. ft. Max. Log Size: 18"



## **Endeavor NexGen-Hybrid™**

Viewing Area: 15-1/4" x 11-1/4" Firebox Size: 2.5 cu. ft. Max. Log Size: 18"



## **Liberty NexGen-Hybrid™**

Viewing Area: 21-1/8" x 11-5/8" Firebox Size: 3.65 cu. ft.

Max. Log Size: 24"





## **Alderlea Cast Iron Series**



Firebox Size: 1.6 cu. ft. Max. Log Size: 17"



**T5** Firebox Size: 2.1 cu. ft. Max. Log Size: 18"



**T6** Firebox Size: 3.0 cu. ft. Max. Log Size: 20"





Sunset Red (T5)



Antique White (T4, T5)



Majolica (T4, T5)



## **Classic Enamel Steel Series**

Base Options: Pedestal or Leg



Firebox Size: 1.6 cu. ft. Max. Log Size: 18"



Super

Firebox Size: 2.1 cu. ft. Max. Log Size: 18"



**Summit** 

Firebox Size: 3.0 cu. ft. Max. Log Size: 20"





Black



Nickel

Brushed

Nickel



Leg Finishes

Black



Nickel



**Leg Finishes** 

Brushed Nickel



## **Traditional Steel Series**

Base Options: Pedestal or Leg



Vista

Firebox Size: 1.6 cu. ft. Max. Log Size: 18"



#### Super

Firebox Size: 2.1 cu. ft. Max. Log Size: 18"



#### Summit

Firebox Size: 3.0 cu. ft. Max. Log Size: 20"

## **Door Finishes**



Black



Nickel

Nickel



Nickel

Black



Brushed Nickel





## **Wood Classic LE**

Max. Log Size: 18"

Firebox Size: 2.5 cu. ft.

Heating Capacity: 2400 - 3000 sq. ft.

**Burn Time:** 12 hours





## **Ashwood LE**

Max. Log Size: 18"

Firebox Size: 2.5 cu. ft.

Heating Capacity: 2400 - 3000 sq. ft.

**Burn Time:** 12 hours





## Heritage

Max. Log Size: 21"

Firebox Size: 2.2 cu. ft.

**Heating Capacity:** Up to 2,100 sq. ft.

Burn Time: 25 hours

Features: Side Loading Door

**Finish Options:** 







Enamel



Matte Black

Brown Enamel

# **OUTDOOR** LIVING





**Tempest Torch™** BTU: 20,000 - 14,000 Installation Options: Ground Post, Deck Post, Pillar Mount or Wall Mount.



20k & 50K Tempest Lanterns™ BTU: 50,000 - 20,000 Installation Options: Ground Post, Deck Post, Pillar Mount or Wall Mount.



**Voracious Fire pit Burner Size:** 10", 13", 18", 22" and 32" BTU: 350,000 - 65,000

**Options:** 



Platinum Crushed



Cobalt Crushed



**Tumbled** 

**Outdoor Linear Gas Fireplaces** Options: Single Sided and See-Thru

Platinum **Bronze** Crushed Crushed Glass



Glass



Cobalt Crushed Glass



Viewing Area: 40"W x 24"H

Viewing Area: 64"W x 24"H

**BTU:** 65,000

BTU: 120,000

Black Crushed Glass



Tumbled

Glass

Bronze Crushed Glass

Glass

Crushed Glass

Stones



















#### **ALEXANDRIA**

514 22nd Ave W Alexandria, MN 56308 320.762.0742

#### NISSWA

4965 Commons Dr Nisswa, MN 56468 218.967.3700

## **WILLMAR**

164 25th St SE Willmar, MN 56201 320.235.0036